

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

10/535489

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
3 June 2004 (03.06.2004)

PCT

(10) International Publication Number
WO 2004/045296 A1

(51) International Patent Classification⁷: A23D 7/00,
9/00, A23L 1/39, 1/40

(21) International Application Number:
PCT/EP2003/012031

(22) International Filing Date: 29 October 2003 (29.10.2003)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
02079834.4 18 November 2002 (18.11.2002) EP

(71) Applicant (for AL, AM, AT, AZ, BA, BE, BF, BG, BJ, BR, BY, CF, CG, CH, CI, CM, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, FR, GA, GE, GN, GQ, GR, GW, HR, HU, ID, IS, IT, JP, KG, KP, KR, KZ, LR, LT, LU, LV, MA, MC, MD, MG, MK, ML, MR, MX, MZ, NE, NI, NL, NO, PH, PL, PT, RO, RU, SE, SI, SK, SN, SY, TD, TG, TJ, TM, TN, TR, UA, UZ, VN, YU only): UNILEVER N.V. [NL/NL]; UNILEVER N.V., Weena 455, NL-3013 AL Rotterdam (NL).

(71) Applicant (for AE, AG, AU, BB, BZ, CA, CY, EG, GB, GD, GH, GM, IE, IL, KE, LC, LK, LS, MN, MW, NZ, OM, PG, SC, SD, SG, SL, SZ, TT, TZ, UG, VC, ZA, ZM, ZW only): UNILEVER PLC [GB/GB]; UNILEVER HOUSE, Blackfriars, London, Greater London EC4P 4BQ (GB).

(71) Applicant (for IN only): HINDUSTAN LEVER LIMITED [IN/IN]; Hindustan Lever House, 165/166 Backbay Reclamation, Maharashtra, 400 020 Mumbai (IN).

(72) Inventors; and

(75) Inventors/Applicants (for US only): BRUG, Johannes, C, [NL/NL]; Unilever Bestfoods Nederland BV, >, Hermesweg 5, NL-3741 GP Baarn (NL). FLÖTER, Eckhard [DE/NL]; Unilever R & D Vlaardingen, Olivier van Noortlaan 120, NL-3133 AT Vlaardingen (NL). LANSBERGEN, Gabriel [NL/NL]; Unilever R & D Vlaardingen, Olivier van Noortlaan 120, NL-3133 AT Vlaardingen (NL).

(74) Agent: WURFBAIN, Gilles, L.; Unilever NV, Patent Department, Olivier van Noortlaan 120, NL-3133 AT Vlaardingen (NL).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: FOOD PRODUCTS COMPRISING FAT AND A SALT

(57) Abstract: Food compositions comprising 5-80% wt of triglycerides of fatty acids, 2-80% wt of an edible salt, which compositions contain less than 15% moisture, wherein the amount of H3 (triglyceride of 3 saturated fatty acids of 16 or more carbon atoms) and H2U (triglyceride of 2 saturated fatty acids of 16 or more carbon atoms and 1 cis-unsaturated fatty acid) taken together is at least 55% wt based on the total amount of triglycerides.

WO 2004/045296 A1

FOOD PRODUCTS COMPRISING FAT AND A SALT

Field of the invention

The present invention relates to savoury food compositions which contain fat and a salt, and in particular savoury food compositions comprising triglycerides of fatty acids, wherein the composition is low in triglycerides of trans-unsaturated fatty acids.

Background of the invention

Savoury food compositions contain in many cases fat. This is especially the case for particulate and/or pasty compositions, which are often dry. Dry in this context is to be understood as comprising less than 15% (wt), preferably less than 10% (wt) of water. Particulate in this context is to be understood as powder, flakes, cubes, pellets etcetera. Examples of such products are e.g. bouillon cubes, culinary cubes, soup- and sauce mixes, etcetera.

The fats in such savoury compositions usually comprise a considerable amount triglycerides of fatty acids (hereinafter for short: triglycerides). Fats are usually mixtures of various triglycerides. The type of fat or fat blend used for a given purpose is determined (next to availability and price) by e.g. the properties the fat has and how it performs in a given product, and in the manufacture of such product. The fat should perform well on e.g. taste, melting in the mouth, taste keepability, but also on ability to be processed into a suitable product as well as performance in the packed product, e.g. keepability (in particular fat staining for cubes packaged in cardboard).

The triglycerides (which form part or all of the fat) are usually obtained from vegetable sources and may have been subjected to various treatments, such as fractionation (dry or wet), purification, hardening, interesterification, blending etcetera, to give the fat the desired product properties. Hardening unsaturated fat or triglycerides to saturated or partially unsaturated fat or triglycerides is in particular a tool used to obtain the desired melting behaviour. In this way, oils or soft fats can be turned into fats showing more suitable properties for solid or dry formulations.

The hardening process may lead to formation of a certain amount of so-called trans-unsaturated fatty acids (and/or triglycerides of such trans-unsaturated fatty acids), in short TFA's. For various reasons it may be desired to reduce or eliminate the amount of trans-

unsaturated fatty acids (and triglycerides thereof) in products. For spreads (margarines and the like) a wide range of possible alternative fats and triglycerides are proposed, as is disclosed in e.g. WO 97/16978 and WO 96/39855.

- 5 The triglycerides mentioned in such applications frequently contain lauric acid (C12 saturated fatty acid). It has been found that when one wishes to find an alternative for the trans-unsaturated fatty acids (and fats containing them) in savoury applications lauric acid is undesired. Lauric acid and triglycerides containing lauric acid may show a range of desirable properties, in particular melting behaviour, but in a savoury application triglycerides of lauric
10 acid were found to lead to a (soapy) off-flavour, especially after prolonged storage.

Hence, there is a desire for dry and/or particulate savoury products which contain triglyceride fats which are low in trans-unsaturated fatty acids (e.g. below 5% of the total fats present, preferably less than 2%) , but which still should perform well in a savoury composition, in
15 particular concerning processability, fat staining, crystallisation, mouth feel, and other characteristics as mentioned above. Preferably, such product should also be low in lauric acid or triglycerides thereof (e.g. below 10% of the total fats present, preferably less than 3%, most preferably less than 0.5% wt of the total fats present).

- 20 Triglyceride fats can be grouped according to the fatty acids of which they consist (i.e. the acyl moiety of triacyl glycerides). Such groups can be identified by a letter, and herein:

H means saturated fatty acid of 16 carbon atoms or longer (C16+, e.g. up to C24)

U means unsaturated fatty acids in cis conformation (any chain length)

E means unsaturated fatty acids in trans conformation (any chain length)

- 25 M means saturated fatty acids of 10-14 carbon atoms (C10-C14)

As the present application is about triglycerides of such fatty acids, the fatty acid composition of the triglycerides is given by for example:

H3 (meaning a triglyceride of 3 saturated fatty acids of 16 or more carbon atoms)

- 30 H2E (meaning a triglyceride of 2 saturated fatty acids of 16 or more carbon atoms and 1 trans-unsaturated fatty acid)

H2M (meaning a triglyceride of 2 saturated fatty acids of 16 or more carbon atoms and 1 saturated fatty acid of 10-14 carbon atoms)

H2U (meaning a triglyceride of 2 saturated fatty acids of 16 or more carbon atoms and 1 cis-unsaturated fatty acid)

HE2 (meaning a triglyceride of 1 saturated fatty acid of 16 or more carbon atoms and 2 trans-unsaturated fatty acids), and so on for other 3 letter codes.

Fat compositions can thus be characterised in containing certain weight percentages (based on the total amount of triglycerides) of triglycerides of the above codes.

5

Although it is mentioned for E and U that they may have any length, it is to be understood that this relates to fatty acids of approx. 8-24 carbon atoms, and more usually 16-20 carbon atoms.

Summary of the invention

10 It has now been found that the objectives as given above may be met (at least in part) by a savoury food composition comprising 5-80% wt (preferably 10-70% wt, most preferably 15-50% wt) of triglycerides of fatty acids, 2-80% wt (preferably 5-70% wt, most preferably 10-60% wt) of an edible salt and which composition contains less than 15% wt (preferably less than 10% wt, more preferably even less than 5% wt) of water, wherein the amount of H3
15 (triglyceride of 3 saturated fatty acids of 16 or more carbon atoms) and H2U (triglyceride of 2 saturated fatty acids of 16 or more carbon atoms and one cis-unsaturated fatty acid) taken together is at least 55% wt based on the total amount of triglycerides, preferably at least 65% % wt based on the total amount of triglycerides. In other words: $H3 + H2U \geq 55\%$, preferably $\geq 65\%$ wt, based on total triglycerides.

20

This means that of the total amount of triglycerides present in the composition according to the invention at least 55% wt (preferably at least 20% wt) are triglycerides of fully saturated C16 and longer chains (e.g. C16, C18, C20, C22 and C24) and/or triglycerides containing one cis-unsaturated fatty acid of any chain length and two saturated fatty acids of 16 or more carbon
25 atoms. In connection to this, it is believed that the dry and/or particulate and/or pasty savoury food compositions as currently on the market comparable to the compositions according to the invention contain about 30-50% of such H3 + H2U triglycerides as part of their fats.

Following the invention, it is now possible to manufacture a savoury food composition
30 comprising 5-70% wt of di- and/or triglycerides of fatty acids, 2-50% wt (preferably 5-40% wt) of an edible salt and which composition contains less than 15% wt of water (preferably less than 10% wt), wherein the triglycerides are selected such that they contain less than 5%, preferably less than 2% wt of trans-unsaturated fatty acids, and preferably having less than 10% wt (more preferably less than 3%, most preferably less than 0.5%) of lauric acid, and
35 wherein the fats still have appropriate melting and crystallisation behaviour.

Detailed description of the invention

In the composition according to the invention it is preferred that the amount of H3 (triglyceride of 3 saturated fatty acids of 16 or more carbon atoms) is at least 15% wt based on the total amount of triglycerides, preferably at least 20%. Likewise, it is preferred that the amount of H2U (triglyceride of 2 saturated fatty acids of 16 or more carbon atoms and 1 cis-unsaturated fatty acid) taken together is at least 40% wt based on the total amount of triglycerides.

Apart from the amounts of H3 and H2U it can be preferred to use fats of such composition in a particular ratio. In this case, the ratio H3/H2U is preferably between 0.5 and 1.2.

Regarding the basic fatty acid composition, it is preferred that the amount of H (i.e. saturated fatty acids of 16 or more carbon atoms) is between 60 and 75% wt based on total amount of fatty acids. Normally, only fatty acids are used with even number of carbon atoms. Similarly, it is preferred that the amount of U (cis-unsaturated fatty acids of any suitable chain length) is between 20 and 45% wt based on total amount of fatty acids.

In the composition according to the invention the amount of palmitic fatty acid (C16:0) in the triglycerides is preferably between 30 and 70% wt based on the total amount of fatty acids. Likewise, the amount of stearic fatty acid (C18:0) is preferably between 0 and 20% wt based on the total amount of fatty acids.

The savoury food compositions according to the invention can be any physical format, but the invention is most suitable for savoury compositions which are in the form of pasty or particulate matter. Examples of this are bouillon or seasoning (different name: culinary) cubes and dry mixes for soups and sauces. Particulate matter is herein to be understood to comprise e.g. flakes, granules, powder, cubes, pellets, tablets. The savoury food compositions according to the invention will usually comprise (e.g. in an amount of 0.1-50% wt) one or more of the following ingredients: herbs and/or spices, tomato powder, vegetable pieces, monosodium glutamate and other components. What above is mentioned pasty also encompasses bouillon or culinary cubes, which may look as a solid, but are to some extent plastic matter (i.e. can be deformed by moderate pressure by hand) and thus by persons skilled in the art recognised as "pasty". Thus, bouillon or culinary cubes which are as such particulates, can consist of pasty matter. Also, complex compositions can be prepared using the material according to the invention. For example, for e.g. bouillon, culinary or seasoning

cubes filled with fluid or liquid matter, the shell may be of bouillon or seasoning material according to the present invention.

The invention also encompasses compositions as set out above, in the form of a particulate soup- or sauce concentrate, which yields a soup or sauce upon mixing and heating with an aqueous liquid. Likewise, compositions as set out above, in the form of a bouillon or broth cube, which yields a bouillon or broth upon mixing and heating with an aqueous liquid.

Following the above, it is now possible to manufacture e.g. dry soup or sauce concentrates which contain a large proportion of vegetable fats, which composition is substantially free from trans-fatty acids or triglycerides thereof. Thus, the invention further relates to a savoury food composition comprising 5-80% wt (preferably 10-70% wt) of triglycerides of fatty acids, 2-80% wt (preferably 5-70%) of an edible salt and which composition contains less than 15% wt (preferably less than 10% wt) of water, wherein at least 50% of the fats is of vegetable origin, and which composition is substantially free from trans-unsaturated fatty acids or triglycerides thereof. Preferably, the compositions according to the invention are substantially free from animal fat.

EXAMPLES

Fat blends 1-6 were prepared from various known fats and fats specifically produced according to the top half of table 1. PO is palm oil. POs is a dry-fractionated palm stearin with a melting point of approx. 53°C. PO58 is fully hardened palm oil. The fatblend "Mix A" was prepared by interesterification of a 60% palm oil, 40% rape 68 blend. PO44 is obtained by hardening palm oil to a melting point of approx. 44°C. In the second half of table 1 the fatty acid composition is given in accordance with the definitions as herein defined, as is the ratio symmetric : asymmetric triglycerides for H2U.

The same data are given for fats in 3 comparative products as have appeared on the market (A-C).

Table 1

	A	B	C	1	2	3	4	5	6
Mix A									70
PO	33		50	30	20	40	20		30
Pos				70	70	50	80	100	
PO58					10	10			
PO44	67	100	50						
H3	11	12	11	27	36	31	29	34	32
H2E	19	29	14	0	0	0	0	0	0
H2M	1	1	1	1	2	2	1	1	1
H2U	31	21	36	45	40	42	44	42	46
HE2	7	10	5	0	0	0	0	0	0
H3/H2U	0.36	0.55	0.31	0.60	0.90	0.74	0.67	0.81	0.70
H	52	53	52	63	68	64	64	68	64
E	16	24	12	0	0	0	0	0	0
U	32	23	37	37	32	36	36	32	34
Palmitic	45	45	45	56	56	53	57	60	35
H3+H2U	42	33	47	72	75	72	73	76	78

Note: the numbers of all the fats given do not add up to 100%, as some minor amounts of other fats are also present.

- 5 The fat blends 1-4 have been developed in order to provide a fat blend having suitable properties on melting, crystallisation, mouthfeel, fat staining, etcetera, but without substantial amounts of trans-unsaturated fatty acids, while keeping the amount of lauric acid in the triglycerides low (1% maximum).
- 10 The fat blends have been used in the following compositions.

Bouillon cubes

- 15 Bouillon cubes were prepared containing 18% fat, 60% salt/MSG mixture, 20% flavours, herbs and spices, 2% water. The fat blends used were fat blends 1, 2, 5, and 6 of table 1. The cubes was prepared by using conventional processing. The product could be prepared in a similar equipment and fashion as conventional bouillon cube, and had good properties (e.g. oral melt, processability, no fat staining).

Culinary cube

A culinary cube was prepared containing 28% fat, 25% salt/MSG mixture, 47% flavours, herbs and spices. The fat blend used was fat blend 3 of table 1. The cubes were prepared by using conventional processing. The product could be prepared in a similar equipment and fashion as conventional culinary cube, and had good properties (e.g. oral melt, processability, no fat staining).

Bouillon

An instant bouillon was prepared containing 22% fat, 60% salt/MSG mixture, 14% flavours, herbs and spices, 2% water. The fat blend used was fat blend 4 of table 1. The product could be prepared in a similar equipment and fashion as conventional bouillon composition, and had good properties (e.g. oral melt, processability).

The comparative examples were:

Bouillon cubes

Conventional bouillon cubes from two different European countries were analysed for the fat composition, which result is given as blends A and B in table 1.

Culinary cube

A conventional culinary cube from a European country was analysed for the fat composition, which result is given as blend C in table 1.

CLAIMS

1. Savoury food composition comprising 5-80% wt (preferably 10-70% wt) of triglycerides of fatty acids, 2-80% wt (preferably 5-70%) of an edible salt and which composition contains less than 15% wt (preferably less than 10% wt) of water, wherein the amount of H3 (triglyceride of 3 saturated fatty acids of 16 or more carbon atoms) and H2U (triglyceride of 2 saturated fatty acids of 16 or more carbon atoms and 1 cis-unsaturated fatty acid) taken together is at least 55% wt based on the total amount of triglycerides.
2. Composition according to claim 1 wherein said amount of H3 + H2U is at least 65% wt based on the total amount of triglycerides.
3. Composition according to claim 1-2, wherein the amount of H3 (triglyceride of 3 saturated fatty acids of 16 or more carbon atoms) is at least 15% wt based on the total amount of triglycerides, preferably at least 20%.
4. Composition according to claim 1-3, wherein the amount of H2U (triglyceride of 2 saturated fatty acids of 16 or more carbon atoms and 1 cis-unsaturated fatty acid) taken together is at least 40% wt based on the total amount of triglycerides.
5. Composition according to claim 1-4, wherein the ratio H3 / H2U is between 0.5 and 1.2.
6. Composition according to claim 1-5, wherein the amount of H is between 60 and 75% wt based on total amount of fatty acids.
7. Composition according to claim 1-6, wherein the amount of U is between 20 and 45% wt based on total amount of fatty acids.
8. Composition according to claim 1-7, wherein the amount of palmitic fatty acid (C16:0) based on the total amount of fatty acids is between 30 and 70% wt.
9. Composition according to claim 1-10, wherein the composition is a pasty or particulate matter.

10. Composition according to claim 9, wherein the particulate matter comprises flakes, granules, powder, cubes, pellets, tablets.
- 5 11. Composition according to claim 1-10, wherein the composition further comprises 0.1-50% wt of herbs and/or spices and/or tomato powder and/or vegetable pieces and/or monosodium glutamate.
- 10 12. Composition according to claim 1-11, in the form of a particulate soup- or sauce concentrate, which yields a soup or sauce upon mixing and heating with an aqueous liquid.
13. Composition according to claim 1-11, in the form of a bouillon or broth cube, which yields a bouillon or broth upon mixing and heating with an aqueous liquid.

INTERNATIONAL SEARCH REPORT

International Application No.
PCT/EP 03/12031

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 A23D7/00 A23D9/00 A23L1/39 A23L1/40

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 A23D A23L

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the International search (name of data base and, where practical, search terms used)

EPO-Internal, PAJ, WPI Data, FSTA, BIOSIS

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 5 718 938 A (SMITH KEVIN W ET AL) 17 February 1998 (1998-02-17) * column 1, lines 15-28; examples; claims 1, 3, 4, 7, 9 and 10 *	1-7,9,10
A	WO 94 16572 A (UNILEVER PLC ;UNILEVER NV (NL)) 4 August 1994 (1994-08-04) * page 4, lines 30-37; claims 1, 4 and 8 *	1-13
A	US 5 858 427 A (CAIN FREDERICK W ET AL) 12 January 1999 (1999-01-12) * column 1, lines 50-62; column 2, lines 37-41; claims 1, 3, 4 and 10-12 *	1-13
A	EP 1 038 444 A (FUJI OIL CO LTD) 27 September 2000 (2000-09-27) * page 2, line 47 - page 3, line 50; claims 1, 2 and 7 *	1-13



Further documents are listed in the continuation of box C.



Patent family members are listed in annex.

* Special categories of cited documents :

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the International filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
- *&* document member of the same patent family

Date of the actual completion of the international search

26 February 2004

Date of mailing of the international search report

04/03/2004

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Georgopoulos, N

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/JP 03/12031

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
US 5718938	A	17-02-1998	AT 147583 T	15-02-1997
			AU 685780 B2	29-01-1998
			AU 6139994 A	26-09-1994
			CA 2156169 A1	15-09-1994
			DE 69401498 D1	27-02-1997
			DE 69401498 T2	22-05-1997
			DK 687142 T3	14-07-1997
			WO 9419953 A1	15-09-1994
			EP 0687142 A1	20-12-1995
			US 5968584 A	19-10-1999
WO 9416572	A	04-08-1994	AT 142084 T	15-09-1996
			AU 7005494 A	15-08-1994
			CA 2154570 A1	04-08-1994
			DE 69400476 D1	10-10-1996
			DE 69400476 T2	20-02-1997
			DK 681433 T3	24-02-1997
			WO 9416572 A1	04-08-1994
			EP 0681433 A1	15-11-1995
			ES 2093519 T3	16-12-1996
			JP 8506725 T	23-07-1996
			ZA 9400406 A	20-07-1995
US 5858427	A	12-01-1999	AU 3652395 A	26-04-1996
			AU 726767 B2	23-11-2000
			AU 4877699 A	04-11-1999
			CA 2199828 A1	11-04-1996
			DE 69513413 D1	23-12-1999
			DE 69513413 T2	13-04-2000
			DK 783250 T3	10-04-2000
			WO 9610338 A2	11-04-1996
			EP 0783250 A1	16-07-1997
			JP 10506285 T	23-06-1998
			ZA 9508238 A	01-04-1997
EP 1038444	A	27-09-2000	JP 2000270769 A	03-10-2000
			AT 233488 T	15-03-2003
			DE 60001511 D1	10-04-2003
			DE 60001511 T2	20-11-2003
			EP 1038444 A1	27-09-2000
			US 6258398 B1	10-07-2001
			US 2001028914 A1	11-10-2001